

12/09/2013
C128**SCHEDULE 2 TO THE NEIGHBOURHOOD CHARACTER OVERLAY**Shown on the planning scheme map as **NCO2****ORANGE GROVE & KERFERD STREET, ESSENDON NORTH****1.0****Statement of neighbourhood character**12/09/2013
C128

Orange Grove and Kerferd Street are characterised by the presence of early modern and Californian bungalows, set within established garden settings. An overall uniformity of character is created by the consistent siting patterns, use of materials, projecting front rooms with large windows, verandah and porch entrance areas with pillars, and pitched, low hung roof forms. Original dwellings are generally constructed of timber or rendered brick, finished in light colours with contrasting design details. Many front fences are low and permeable, constructed of timber pickets or post and wire mesh.

2.0**Neighbourhood character objectives**12/09/2013
C128

- To ensure new development is consistent with the established front and side setbacks of the area.
- To ensure that new dwellings and alterations to existing dwellings reflect the established pattern of siting, materials and colours.
- To promote the use of pitched, low hung roof forms.
- To minimise any areas of hard paving at dwelling frontages, other than driveways.
- To ensure any additions to an existing dwelling are complementary and do not compromise the neighbourhood character or streetscape.


3.0**Permit requirement**12/09/2013
C128

A permit is required to:

- Construct or extend an outbuilding normal to a dwelling, if the structure is visible from a street (other than a lane) or public park.
- Demolish or remove a dwelling.

4.0**Modification to Clause 54 and Clause 55 standards**12/09/2013
C128

Standard	Modified Requirement
Street Setback A3 and B6	Equal to the prevailing setback from the front street of all dwellings within the overlay
Walls on boundaries A11 and B18	<p>A wall may be constructed on a boundary for a maximum of 10 metres where:</p> <ul style="list-style-type: none"> ▪ It is a carport, garage or outbuilding set back behind the front wall of the dwelling, and located on one side boundary only <p>Or</p> <ul style="list-style-type: none"> ▪ It is any other part of the dwelling and the building is set back a minimum of 1 metre from the side boundary for a distance of 8 metres from the front wall of the building.

Standard	Modified Requirement
	
<p>Design Detail A19 and B31</p>	<p>The design of buildings should respect the preferred neighbourhood character of the area, specifically in relation to:</p> <ul style="list-style-type: none"> ▪ Façade articulation and detailing ▪ Window and door proportions ▪ Roof form pitch and eaves ▪ Verandahs, eaves and parapets ▪ The number of storeys ▪ Materials and finishes ▪ Building siting <p>New buildings should interpret the detailed elements of older dwellings that contribute to the neighbourhood character significance of the area in an innovative and contemporary manner that complements, rather than replicates, period dwelling styles.</p> <p>Second storey elements of new dwellings, and second storey additions to existing dwellings should be sited and designed so that the single storey part of the building, including its roof form, is the dominant visual element when viewed from the street. This will require second storey elements to be:</p> <ul style="list-style-type: none"> ▪ Set back a substantial distance from the front building façade and generally located behind the main ridgeline or highest point of the roof over the ground floor, and ▪ Designed to complement the form and proportions of the existing dwelling or, if a new dwelling, other dwellings in the street. <p>A garage, carport or car space constrained by walls should be:</p> <ul style="list-style-type: none"> ▪ Visually unobtrusive and compatible with the development and the preferred neighbourhood character. ▪ A maximum width of 4 metres where visible from the street. ▪ Located 2 metres behind the front wall of the dwelling. <p>All other requirements of Standards A19 and B31 continue to apply.</p>
<p>Front fence height A20 and B32</p>	<p>The design of front fences should complement the era and design of dwellings in the street, and be of visually permeable materials.</p> <p>A front fence or a fence on the side boundary forward to the dwelling should not exceed 1.2 metres.</p>

5.0

Decision guidelines

12/09/2013
C128

Before deciding on an application, the responsible authority must consider, as appropriate:

- Whether any new building is sufficiently setback from the front and side boundaries to respect the predominant setbacks in the street.
- Whether any new building or extension is complementary to the siting, materials and colours of the street.
- The use of pitched, low hung roof forms.

- The amount of hard paving, excluding driveways, at dwelling frontages.
- The extent to which any building to be extended or otherwise modified, contributes to the neighbourhood character objectives of the area.

6.0

12/09/2013
C128

Reference

Moonee Valley Neighbourhood Character Study 2012